

Carucco

The appeal of
merchandising efficiency




Excellent product visibility
Attractive modern design
Wide range of options and customization




Carucco design


Ventilated – for high value products




Ventilated – for high value products



Hot food



Semi-vertical products



Abbreviations


- ZS** Zeus technology, for lower product weight losses
- PS** Pastry
- LT** Low temperature cabinet, for frozen food
- GC** Gravity coil, for fish
- BW** Hot counter, bain-marie with hot lamp
- GW** Hot counter, heated plate with hot lamp

Applications


- Dairy products
- Cheese
- Meat
- Minced meat
- Delicatessen
- Fish
- Frozen food
- Sandwiches
- Pastry
- Fruits & vegetables
- Hot meals
- Beverages

Modules


Straight units



Standard corner units



Plug-in versions



* Corner case not refrigerated. The corner section must be multiplexed with linear sections on both sides.

HERA


The beauty of transparency



- Excellent product visibility
- Double curved, tilt bottom hinged glass
- Attractive, modern design
- Wide range of field applications



Product overview



* Plug in versions available with wheels for size 125, 188
 Plug in versions available with standard base (w/o wheels) for size 125, 156, 188, 250, 312, 375



Hera	Modules												
	63	94	125	156	188	250	312	375	EC45	EC90	IC45	IC90	CE*
	Total display area (m²)												
Hera. 75H A	-	-	0.94	-	1.41	1.88	-	2.81	-	-	-	-	1.41
Hera. 85H A	0.53	0.80	1.06	1.30	1.59	2.13	2.66	3.19	0.98	1.60	1.09	2.18	-
Hera. 90H A	0.57	0.84	1.13	1.41	1.69	2.25	2.81	3.38	1.04	1.70	1.16	2.32	1.98
Hera. 95M A	-	0.89	1.18	1.48	1.77	2.37	2.95	3.54	1.08	1.76	1.25	2.50	2.09
Hera. 00H ZS A	-	-	1.09	-	1.63	2.17	-	3.26	1.01	1.64	1.14	2.28	-
Hera. 00H GC A	-	-	1.00	-	1.50	2.00	-	3.00	-	-	-	-	-
Hera. 00H LT A	-	-	0.98	-	1.46	1.95	-	2.93	-	-	-	-	-
Temperature range** (°C)	0/+2 +2/+4 +4/+6 -18/-20 -22/-24												

* Crown end available for self-service version.

** These temperature ranges are shown in general for the refrigerated cabinets.
 Please refer to the technical manual to match the right temperature range to the different versions.

DANAOS


Stylish design for high visibility



- Attractive and modern flat design
- Secondary product placement
- Lift-up and tilt-down front glass
- Wide range of customization options



Product overview



* Plug in versions available with wheels for size 125, 188
 Plug in versions available with standard base (w/o wheels) for size 125, 156, 188, 250, 312, 375



	Modules							
Danaos	125	188	250	375	EC45	EC90	IC45	IC90
	Total display area (m²)							
Danaos. 85H A	1.06	1.59	2.13	3.19	0.98	1.60	1.09	2.18
Danaos.00H ZS A	1.09	1.63	2.17	3.26	1.01	1.64	1.14	2.28
Danaos.00H GC A	1.00	1.50	2.00	3.00	-	-	-	-
Danaos.85H BW A	0.71	-	-	-	-	-	-	-
Danaos.85H GW A	0.78	-	-	-	-	-	-	-
Danaos. 90H A	1.13	1.69	2.25	3.38	1.04	1.70	1.16	2.32
Danaos 75E	0.94	1.41	1.88	2.81	-	-	-	-
Temperature range** (°C)	0/+2 +2/+4 +4/+6							

** These temperature ranges are shown in general for the refrigerated cabinets.
 Please refer to the technical manual to match the right temperature range to the different versions.

APOLLO


Flexible design
for optimal versatility



- Easy access from front and back
- Lift-up, double curved glass
- Wide range of customization options
- Excellent product visibility



Product overview



* Plug in versions available with wheels for size 125, 188
 Plug in versions available with standard base (w/o wheels) for size 125, 156, 188, 250, 312, 375



Apollo	Modules												
	63	94	125	156	188	250	312	375	EC45	EC90	IC45	IC90	CE*
	Total display area (m²)												
Apollo. 85H A	0.53	0.80	1.06	1.30	1.59	2.13	2.66	3.19	0.98	1.60	1.09	2.18	-
Apollo. 90H A	0.57	0.84	1.13	1.41	1.69	2.25	2.81	3.38	1.04	1.70	1.16	2.32	1.98
Apollo. 95M A	-	0.89	1.18	1.48	1.77	2.37	2.95	3.54	1.08	1.76	1.25	2.50	2.09
Apollo. 00H ZS A	-	-	1.09	-	1.63	2.17	-	3.26	1.01	1.64	1.14	2.28	-
Apollo. 00H GC A	-	-	1.00	-	1.50	2.00	-	3.00	-	-	-	-	-
Apollo. 00H LT A	-	-	0.98	-	1.46	1.95	-	2.93	-	-	-	-	-
Apollo. 85H/90H PS A	-	-	1.16	-	-	2.32	-	3.48	-	-	-	-	-
Apollo. 85H/90H/95M BW A	-	0.50	0.71	-	-	-	-	-	-	-	-	-	-
Apollo. 85H/90H/95M GW A	-	0.54	0.78	-	-	-	-	-	-	-	-	-	-
Temperature range** (°C)	0/+2 +2/+4 +4/+6 -18/-20 -22/-24												

* Crown end available for self-service version.

** These temperature ranges are shown in general for the refrigerated cabinets.
 Please refer to the technical manual to match the right temperature range to the different versions.

THETIS


Robust support for
successful merchandising



- Space for impulse sales
- Easy filling capacity
- Single curved, lift-up glass
- Wide range of lighting solutions



Product overview



* Plug in versions available with wheels for size 125, 188
 Plug in versions available with standard base (w/o wheels) for size 125, 156, 188, 250, 312, 375



	Modules												
Thetis	63	94	125	156	188	250	312	375	EC45	EC90	IC45	IC90	CE*
	Total display area (m²)												
Thetis. 85H A	0.53	0.80	1.06	1.30	1.59	2.13	2.66	3.19	0.98	1.60	1.09	2.18	-
Thetis. 90H A	0.57	0.84	1.13	1.41	1.69	2.25	2.81	3.38	1.04	1.70	1.16	2.32	1.98
Thetis. 00H ZS A	-	-	1.09	-	1.63	2.17	-	3.26	1.01	1.64	1.14	2.28	-
Thetis. 00H GC A	-	-	1.00	-	1.50	2.00	-	3.00	-	-	-	-	-
Thetis. 00H LT A	-	-	0.98	-	1.46	1.95	-	2.93	-	-	-	-	-
Thetis. 85H/90H PS A	-	-	1.16	-	-	2.32	-	3.48	-	-	-	-	-
Thetis. 85H/90H BW A	-	0.50	0.71	-	-	-	-	-	-	-	-	-	-
Thetis. 85H/90H GW A	-	0.54	0.78	-	-	-	-	-	-	-	-	-	-
Temperature range** (°C)	0/+2						+2/+4	+4/+6	-18/-20	-22/-24			

* Crown end available for self-service version.
 ** These temperature ranges are shown in general for the refrigerated cabinets.
 Please refer to the technical manual to match the right temperature range to the different versions.

MEDEA


Multi-level merchandising at its best



- Variety of merchandising solutions
- Two to four display levels
- Ergonomic design
- Modular capacity with serve-over counters



Product overview



* Plug-in version available (with wheels)
90 H
SD 1250, 188,
ST 1250
SQ 1250, 188

75 H
SD 1250, 188
ST 1250, 188
SQ 1250, 188



Dairy products



Cheese



Fruits & vegetables



Beverages



Sandwiches

Medea	Modules				
	125	188	250	375	CE*
	Total display area (m²)				
Medea SD.75H A	1.57	2.35	3.14	4.71	2.35
Medea ST.75H A	2.06	3.10	4.13	6.19	3.10
Medea SQ.75H A	2.51	3.72	5.03	7.54	3.72
Medea SD.90H A	1.76	2.63	3.51	5.27	3.10
Medea ST.90H A	2.25	3.38	4.50	6.75	3.98
Medea SQ.90H A	2.70	4.00	5.40	8.10	4.75
Medea SD.90M A	1.76	2.63	3.51	5.27	3.10
Medea ST.90M A	2.25	3.38	4.50	6.75	3.98
Medea SQ.90M A	2.70	4.00	5.40	8.10	4.75
Temperature range** (°C)		+2/+4	+4/+6		

SELENE


Proven reliability for
the everyday experience



- Attractive, modern design
- Superior product visibility
- Lift-up, double curved glass
- Wide range of lighting solutions



Product overview



* Plug in versions available with wheels for size 125, 188
 Plug in versions available with standard base (w/o wheels) for size 125, 156, 188, 250, 312, 375



Selene	Modules												
	63	94	125	156	188	250	312	375	EC45	EC90	IC45	IC90	CE*
	Total display area (m²)												
Selene. 90H A	0.57	0.84	1.13	1.41	1.69	2.25	2.81	3.38	1.04	1.70	1.16	2.32	1.98
Selene. 90H BW A	-	0.50	0.71	-	-	-	-	-	-	-	-	-	-
Selene. 90HGW A	-	0.54	0.78	-	-	-	-	-	-	-	-	-	-
Temperature range** (°C)	0/+2 +2/+4 +4/+6												

* Crown end available for self-service version.
 ** These temperature ranges are shown in general for the refrigerated cabinets.
 Please refer to the technical manual to match the right temperature range to the different versions.

Carrier Commercial Refrigeration offices

Europe

Austria

Carrier Kältetechnik Austria Ges.m.b.H.
1232 Vienna-Inzersdorf
Phone +43 1 661 04 0

Belgium

Carrier Refrigeration Belgium
Division of Carrier Refrigeration Benelux B.V.
1070 Brussel / Bruxelles
Phone +32 3 231 50 93

Bulgaria

Carrier Hladilna Tehnica Klon Bulgaria
1680 Sofia
Phone +359 2 89 26 000

Croatia

Carrier Kältetechnik Austria Ges.m.b.H.
Glavna podružnica Zagreb
10000 Zagreb
Phone +385 1 2484 000

Czech Republic

Carrier chladičí technika CZ s.r.o.
190 00 Prague 9
Phone +420 281 095 111

Denmark

Carrier Refrigeration Denmark A/S
8260 Viby J
Phone +45 86 55 02 55

Finland

Carrier Oy
01610 Vantaa
Phone +358 9 61 31 31

France

Carrier Refrigeration Distribution France SAS
94100 St Maur des Fossés
Phone +33 1 43 97 61 00

Germany

Carrier Kältetechnik Deutschland GmbH
50999 Cologne
Phone +49 2236 601 01

Greece

Carrier Frigel Apostolou SA
10442 Athens
Phone +30 210 5193000

Hungary

Carrier Hűtőtechnika Forgalmazó Magyarországi Kft./Carrier Refrigeration Distribution Hungary Ltd.
1037 Budapest
Phone +36 1 437 05 10

Italy

Carrier Refrigeration Distribution Italy SpA
20016 Pero (MI)
Phone +39 02 86 80 71

Netherlands

Carrier Refrigeration Benelux B.V.
4104 AW Culemborg
Phone +31 345 544 444

Norway

Carrier Refrigeration Norway AS
0668 Oslo
Phone +47 23 37 58 40

Poland

Carrier Chłodnictwo Polska Sp. z o.o.
02-676 Warsaw
Phone +48 22 54 40 100

Portugal

Carrier Portugal Lda.
2790-072 Carnaxide
Phone +351 21 424 99 00

Romania

Carrier chladičí technika CZ s.r.o. Praga
Sucursala Bucuresti
023828 Bucharest
Phone +40 212 500 449

Russia

Carrier Refrigeration Rus
109240 Moscow
Phone +7 495 933 11 75

Slovakia

Carrier chladiaca technika Slovakia s.r.o.
949 07 Nitra
Phone +421 377 764 011

Slovenia

Carrier Kältetechnik Austria Ges.m.b.H.
Podružnica Ljubljana
1000 Ljubljana
Phone +386 1 2425 523

Spain

Carrier Refrigeración Ibérica SA
08036 Barcelona
Phone +34 93 4527 184

Sweden

Carrier Refrigeration Sweden AB
422 43 Göteborg
Phone +46 771 33 00 99

Switzerland

Carrier Kältetechnik Schweiz AG
4133 Pratteln
Phone +41 61 816 66 66

United Kingdom & Ireland

Carrier Refrigeration UK Ltd. OX4 6LB
Oxford
Phone +44 1 865 337 700

Asia & Middle East

China - CCR Asia HQ

Shanghai 200001
Phone +86 21 23063000

China

Qingdao Haier-Carrier Refrigeration Equipment Co. Ltd. Qingdao 266103
Phone +86 532 88938638

Hong Kong & Macau

Kowloon
Phone +852 26945792

India

Carrier Airconditioning and Refrigeration Ltd.
Gurgaon, Haryana 122001
Phone +91 124 482 5500

Indonesia

Jakarta Pusat 10650
Phone +622 1 42878733

Korea

Songdo, Incheon
Phone +82 32 835 6135

Malaysia

46710 Subang Jaya, Selangor Darul Ehsan
Phone +603 802 477788

Middle East

Dubai, United Arab Emirates
Phone +971 4 2368620

Singapore

Singapore 608926
Phone +65 6567 5522

Taiwan

Taipei City
Phone +886 2 27975567722

Thailand

Bangkok 10510
Phone +66 2 517 2000

Vietnam

Ho Chi Minh City
Phone +84 8 3931 4700

Hanoi

Phone +84 4 3824 7684

Other Global Offices

Latin America & Caribbean

Phone +1 954 299 0418

